



Our History

2002

Qiantong's own factory was built, and renamed to Hangzhou Qiantong Tools Manufacture Co., Ltd.

2012

Started Automation & Lean Production

2020

Established factory in Surabaya

2024

2.4M+ Pcs/Yearly shipped from INDO

1999

Qiantong Hard Ware & Electrical Appliances Factory was established.

2007

2007 Annual turnover exceeds RMB 100 million (\$15million)

2016

Started battery charger & jump starter production

2023

Started EV Product & Accessories Production

2026

Factory relocated; shipments from Semarang

ABOUT US

Zhejiang Safemate Automotive Safety & Emergency Technology Co.,Ltd, shortened to "Safemate Technology". The company was established on July 1, 1999. The company has been focusing on R&D, manufacturing and sales of automobile travel safety product, first aid product, repairing and maintenance product, and EV products. It is the world's largest provider of driving safety and self-rescue solutions for self-driving people. The company has two major manufacturing bases in Jiande, Hangzhou and Semarang, Indonesia, with a total of more than 400 employees.

In the course of more than 20 years of development as a manufacturing enterprise, the company has continuously expanded its product categories and developed over 500 models of products. The rich product layout meets customers' one-stop purchasing needs and improves customer satisfaction. The products sell well in North American and European markets; at the same time, the company insists on product quality first, with GS, PAHS, CE, EMC, ROHS, BS,



40000 m²
WORKSHOP

225 +
Local Staff And Workers

40000 +
Pcs/Day

700 +
A one-stop product portfolio of 700+ models

SAE, UL, ETL, FCC and other product quality certifications from major developed countries around the world. It has passed the world's most stringent quality, human rights, and environmental assessment factory audits such as BSCI, SEDEX, COSTCO, Walmart, ISO9000, and ISO14000, and has obtained the supply qualifications of major customers in various industries; the company continues to promote product manufacturing in the direction of automation and digitalization development; through production line upgrades and the introduction of lean production, the introduction of MES CRM, ERP and other systems continues to promote the construction of digital factories, greatly improving management efficiency and per capita contribution rate.

As a "national high-tech" enterprise integrating R&D, intelligent manufacturing and sales, the company's mission is to make self-driving people safer and more convenient. With the vision of becoming a solution provider for 200 million self-driving people in the world, all employees are called on to users are at the core, have a sense of the overall situation, insist on doing the right things, carry forward the sense of ownership, go deep into the scene, deliver results as values, and practice a win-win corporate culture for the company and users; under the guidance of the business philosophy: focusing on intelligent product manufacturing, focusing on user needs, focusing on affordable prices, we will give full play to the value of Safemate and contribute Safemate wisdom and technology to self-driving people around the world.



Heavy Duty Top Post Term



FEATURES

- Military-spec, standard top post connectors for increased strength and reduced corrosion.
- Easy To Install, direct fit and no modifications, make it faster and easier for installation.
- Used for battery extension, parallel connection, and ground connection.
- Compatible for car, vehicle, RV and boat.

SKU	Product#	Material	Wire Range	Unit Weight	CTN Size
50803101	BT-1001	Lead	6-1GA	175g/0.39lbs	100pcs, 58*31.7*23cm
50803102	BT-1001Z	Zinc	6-1GA	118g/0.26lbs	100pcs, 58*31.7*23cm
50803103	BT-1002	Lead	6-1GA	97g/0.21lbs	80pcs, 45.5*25*19.5cm
50803104	BT-1002-10P	Lead	6-1GA	110g/0.24lbs	20pcs, 28*23.5*40cm
50803105	BT-1002Z	Zinc	6-1GA	86g/0.19lbs	80pcs, 45.5*25*19.5cm
50803106	BT-1002-2	Zinc	6-1GA	172g/0.38lbs	80pcs, 45.5*25*19.5cm
50803107	BT-1003	Brass	6-1GA	82g/0.18lbs	80pcs, 45.5*25*19.5cm
50803108	BT-1010	Lead	6-1GA	192g/0.42lbs	40pcs, : 47*16.5*23cm



Terminal Adapters




FEATURES

- Designed to deliver trouble-free, consistent performance.
- Right for your vehicle and lifestyle.
- Made from high-quality materials for ultimate durability.
- Manufactured to meet or exceed strict quality requirements.

SKU	Product#	Material	Wire Range	Unit Weight	CTN Size
50803109	BT-1004	Lead	8GA	110g/0.24lbs	100pcs, 58*31.7*23cm
50803110	BT-1004B-2P	Zinc	8GA	220g/0.48lbs	100pcs, 58*31.7*23cm
50803111	BT-1004BZ-2	Lead	8GA	238g/0.52lbs	100pcs, 58*31.7*23cm



Wing Nut Battery Terminal




FEATURES

- Nice Electrical Conductivity to reduce transmission loss and voltage distortion.
- Easy to install and remove, quick to attach to the battery with bolts and nuts.
- Sturdy and Strong: galvanized in surface, nice in toughness, corrosion resistance.

SKU	Product#	Material	Wire Range	Unit Weight	CTN Size
50803112	BT-1005	Lead	6-1GA	108g/0.24lbs	100pcs, 58*31.7*23cm
50803113	BT-1005-1	Lead	6-1GA	282g/0.62lbs	100pcs, 58*31.7*23cm
50803114	BT-1005-2P	Lead	6-1GA	280g/0.61lbs	100pcs, 58*31.7*23cm
50803115	BT-1005Z-2P	Zinc	6-1GA	203g/0.44lbs	100pcs, 58*31.7*23cm
50803116	BT-1005B	Lead	6-1GA	216g/0.47lbs	100pcs, 58*31.7*23cm
50803117	BT-1009	Copper	6-1GA	170g/0.19lbs	100pcs, 58*31.7*23cm
50803118	BT-1010B	Lead	6-1GA	118g/0.26lbs	100pcs, 58*31.7*23cm

Universal Side Post Terminal



FEATURES

- Nice Electrical Conductivity to reduce transmission loss and voltage distortion.
- Easy to install and remove, quick to attach to the battery.
- Designed to deliver trouble-free, consistent performance.

SKU	Product#	Material	Wire Range	Unit Weight	CTN Size
50803119	BT-1008	Lead	6-1GA	76g/0.17lbs	120pcs, 31*26*26.5cm
50803120	BT-1008Z	Lead	6-1GA	82g/0.18lbs	120pcs, 31*26*26.5cm
50803121	BT-1008-8P	Zinc	6-1GA	280g/0.61lbs	20pcs, 34*24*27cm
50803122	BT-1012	Lead	6-1GA	118g/0.26lbs	120pcs, 31*26*26.5cm

Brass Swan Terminal



BT-1011



BT-1011B

SKU	Product#	Material	Wire Range	Unit Weight	CTN Size
50803146	BT-1011	Copper	6-16A	118g/0.26lbs	100pcs,58*31.7*23cm
50803147	BT-1011B	Copper	6-16A	118g/0.26lbs	100pcs,58*31.7*23cm

FEATURES

- Designed for top post batteries.
- Compatible for car,vehicle,RV and marine etc.
- Easily detaches for anti-theft protection and to prevent electrical drain.

Side Terminal Charging Post



BT-1013



BT-1014



BT-1014BZ




BT-1014B

SKU	Product#	Material	Unit Weight	CTN Size
50803123	BT-1013	Lead	200g/0.44lbs	120pcs,31*26*26.5cm
50803124	BT-1014	Lead	114g/0.25lbs	120pcs,31*26*26.5cm
50803125	BT-1014B	Lead	170g/0.37lbs	120pcs,31*26*26.5cm
50803126	BT-1014BZ	Zinc	98g/0.22lbs	120pcs,31*26*26.5cm

FEATURES

- Designed for side post battery charging.
- Compatible for car,vehicle,RV and marine etc.
- Increased strength, conductive and reduced corrosion.



P&N Female Charging Post Terminal



BT-1015



BT-1015B

SKU	Product#	Material	Unit Weight	CTN Size
50803148	BT-1015	Lead	130g/0.29lbs	120pcs,31*26*26.5cm
50803149	BT-1015B	Zinc	45g/0.1lbs	120pcs,31*26*26.5cm

FEATURES

- Designed for top post batteries.
- Compatible for car,vehicle,RV and marine etc.
- Made of premium lead alloy, anti-corrosion, durable to use.

Battery Post Shims



BT-1016

SKU	Product#	Material	Unit Weight	CTN Size
50803150	BT-1016	Lead	26g/0.06lbs	120pcs,31*26*26.5cm

FEATURES

- Designed for repair of worn, damaged or undersized battery top posts.
- Provide a steady secure conductive electrical connection of terminals.
- Compatible for car,vehicle,RV and marine etc.

Chrome Plated Copper Terminal



BT-1017



BT-1017-1



BT-1017-1A



BT-1017-1Z



BT-1017-2P

SKU	Product#	Material	Unit Weight	CTN Size
50803127	BT-1017	Lead	90g/0.2lbs	100pcs,58*31.7*23cm
50803128	BT-1017-1	Zinc	90g/0.2lbs	100pcs,58*31.7*23cm
50803129	BT-1017-1A	Zinc	95g/0.21lbs	100pcs,58*31.7*23cm
50803130	BT-1017-1Z	Zinc	95g/0.21lbs	100pcs,58*31.7*23cm
50803131	BT-1017-2P	Zinc	104g/0.23lbs	100pcs,58*31.7*23cm

FEATURES

- Nice Electrical Conductivity to reduce transmission loss and voltage distortion.
- Max Current 150A. More conductive and efficient than lead battery terminal equivalents.
- Copper material to deliver trouble-free, consistent performance.

Battery Terminal Bolts and Nuts



BT-1018



BT-1018-1



BT-1019



BT-1020

SKU	Product#	Material	Unit Weight	CTN Size
50803139	BT-1018	Iron	37g/0.08lbs	120pcs,31*26*26.5cm
50803140	BT-1018-1	Iron	90g/0.2lbs	120pcs,31*26*26.5cm
50803141	BT-1019	Iron	95g/0.21lbs	120pcs,31*26*26.5cm
50803142	BT-1020	Iron	95g/0.21lbs	120pcs,31*26*26.5cm

FEATURES

- Direct replacement.
- For replacement of battery terminal bolts and nuts.

Side Bolt Extender



BT-1020



BT-1020B



BT-1028

SKU	Product#	Material	Unit Weight	CTN Size
50803142	BT-1020	Copper	48g/0.1lbs	120pcs,31*26*26.5cm
50803143	BT-1020B	Copper	48g/0.1lbs	120pcs,31*26*26.5cm
50803144	BT-1028	Zinc	45g/0.1lbs	120pcs,31*26*26.5cm

FEATURES

- Designed for the nice side post battery terminal bolts.
- Convenient to install and easy to operate.
- Solid brass construction, anti-rust and sturdy.

Heavy-Duty Lug Terminal Cosse



BT-1025

SKU	Product#	Material	Wire Range	Unit Weight	CTN Size
50803145	BT-1025	Copper	4/2GA	26g/0.06lbs	100pcs,58*31.7*23cm

FEATURES

- Cast Copper Alloy Construction with Tin Plating to Resist Corrosion.
- Solder and Flux Inside Terminal for a Strong and Secure Connection.
- Compatible for car, vehicle, RV and marine etc.

Battery Switch



BT-1027

SKU	Product#	Material	Wire Range	Unit Weight	CTN Size
50803132	BT-1027	Copper	4/2GA	90g/0.2lbs	100pcs,58*31.7*23cm


FEATURES

- High Quality with high-temperature durability designed, corrosion protection, good weldability.
- Good Conductivity with 99.9% annealed copper.
- Compatible for car, vehicle, RV and marine etc.

Copper Tube Lugs



BT-1023



FEATURES

- High Quality with high-temperature durability designed, corrosion protection, good weldability.
- Good Conductivity with 99.9% annealed copper.
- Wide Applications for automobile, motorcycle, distribution box, golf carts, solar panels, marine, home applications, DIY electrical wirings etc.

SKU	Product#	Material	Cable Size	Dimension						CTN Size
				φd2	B	L	φD	φd	E	
50803133	BT-1023	Copper	4 Gauge-1/4" Ring	6.8	13.8	38.9	9.5	7.3	15.5	120pcs,31*26*26.5cm
50803134	BT-1023	Copper	4 Gauge-5/6" Ring	8.3	13.8	38.9	9.5	7.3	15.5	120pcs,31*26*26.5cm
50803135	BT-1023	Copper	4 Gauge-3/8" Ring	10.4	14.5	38.9	9.5	7.3	15.5	120pcs,31*26*26.5cm
50803136	BT-1023	Copper	2 Gauge-1/4" Ring	6.8	16.5	41.1	11.1	8.5	16	120pcs,31*26*26.5cm
50803137	BT-1023	Copper	2 Gauge-5/6" Ring	8.3	16.5	41.1	11.1	8.5	16	120pcs,31*26*26.5cm
50803138	BT-1023	Copper	2 Gauge-3/8" Ring	10.4	16.5	41.1	11.1	8.5	16	120pcs,31*26*26.5cm

Top Post Battery Cables



BT-2001

FEATURES

- Copper lugs+lead terminal for superior corrosion and oxidation resistance.
- Better stamping process to improve the current and reduce the resistance.
- Boat cable wire stays ultra flexible even in the most extreme conditions.
- Heat-resistant up to 105°C.

SKU	Product#	Gauge	Length	Color	CTN Size
50803201	BT-2001-1GA14	1GA	14"	Black/Red	24pcs,48*18*22.5cm
50803202	BT-2001-1GA24	1GA	24"	Black/Red	24pcs,48*18*22.5cm
50803203	BT-2001-1GA31	1GA	31"	Black/Red	24pcs,48*18*28.5cm
50803204	BT-2001-1GA48	1GA	48"	Black/Red	24pcs,45*22*31cm
50803205	BT-2001-1GA66	1GA	66"	Black/Red	24pcs,57.8*37.2*31.5cm
50803206	BT-2001-2GA20	2GA	20"	Black/Red	24pcs,48*18*22.5cm
50803207	BT-2001-4GA12	4GA	12"	Black/Red	24pcs,48*18*22.5cm
50803208	BT-2001-4GA15	4GA	15"	Black/Red	24pcs,48*18*22.5cm

Switch To Starter Cable



BT-2004

FEATURES

- Zinc-plated copper lugs for superior corrosion and oxidation resistance.
- Better stamping process to improve the current and reduce the resistance.
- Boat cable wire stays ultra flexible even in the most extreme conditions.
- Heat-resistant up to 105°C.

SKU	Product#	Gauge	Length	Color	CTN Size
50803209	BT-2004-1GA12	1GA	12"	Black/Red	24pcs,48*18*22.5cm
50803210	BT-2004-1GA18	1GA	18"	Black/Red	24pcs,48*18*22.5cm
50803211	BT-2004-1GA36	1GA	36"	Black/Red	24pcs,48*18*22.5cm
50803212	BT-2004-2/0GA15	2/0GA	15"	Black/Red	24pcs,48*18*22.5cm
50803213	BT-2004-4GA12	4GA	12"	Black/Red	24pcs,48*18*22.5cm
50803214	BT-2004-4GA18	4GA	18"	Black/Red	24pcs,48*18*22.5cm
50803215	BT-2004-4GA19	4GA	19"	Black/Red	24pcs,48*18*22.5cm
50803216	BT-2004-4GA24	4GA	24"	Black/Red	24pcs,48*18*22.5cm
50803217	BT-2004-4GA36	4GA	36"	Black/Red	24pcs,48*18*22.5cm
50803218	BT-2004-4GA40	4GA	40"	Black/Red	24pcs,48*18*22.5cm
50803219	BT-2004-4GA49	4GA	49"	Black/Red	24pcs,48*18*22.5cm
50803220	BT-2004-4GA60	4GA	60"	Black/Red	24pcs,48*18*28.5ccm
50803221	BT-2004-6GA19	6GA	19"	Black/Red	24pcs,48*18*22.5cm
50803222	BT-2004-6GA24	6GA	24"	Black/Red	24pcs,48*18*22.5cm

Side Terminal Cable With Auxiliary Lead



FEATURES

- Copper lugs+lead terminal for superior corrosion and oxidation resistance.
- Better stamping process to improve the current and reduce the resistance.
- Boat cable wire stays ultra flexible even in the most extreme conditions.
- Heat-resistant up to 105°C.

SKU	Product#	Gauge	Length	Color	CTN Size
50803223	BT-2005-4GA25	4GA	25"	Black/Red	24pcs,48*18*22.5cm
50803224	BT-2005-4GA55	4GA	55"	Black/Red	24pcs,48*18*28.5ccm
50803225	BT-2005-4GA78	4GA	78"	Black/Red	24pcs,48*18*28.5ccm
50803226	BT-2005A-2GA35	2GA	35"	Black/Red	24pcs,48*18*22.5cm

Top Post Terminal Battery Cable



FEATURES

- Copper lugs+lead terminal for superior corrosion and oxidation resistance.
- Better stamping process to improve the current and reduce the resistance.
- Boat cable wire stays ultra flexible even in the most extreme conditions.
- Heat-resistant up to 105°C.

SKU	Product#	Gauge	Length	Color	CTN Size
50803227	BT-2006-2GA25	2GA	25"	Black/Red	24pcs,48*18*22.5cm
50803228	BT-2006-2GA38	2GA	38"	Black/Red	24pcs,48*18*22.5cm
50803229	BT-2006-2GA48	2GA	48"	Black/Red	24pcs,48*18*22.5cm
50803230	BT-2006-4GA25	4GA	25"	Black/Red	24pcs,48*18*22.5cm
50803231	BT-2006-4GA38	4GA	38"	Black/Red	24pcs,48*18*22.5cm
50803232	BT-2006-4GA48	4GA	48"	Black/Red	24pcs,48*18*22.5cm
50803233	BT-2006-4GA72	4GA	72"	Black/Red	24pcs,48*18*28.5ccm

Free Terminal Battery Copper With Auxiliary Lead



BT-2008

SKU	Product#	Gauge	Length	CTN Size
50803249	BT-2008	8-2GA	15/19/25/32/51/72"	24pcs,48*18*22.5cm

FEATURES

- Copper lugs for superior corrosion and oxidation resistance.
- Better stamping process to improve the current and reduce the resistance.
- Boat cable wire stays ultra flexible even in the most extreme conditions.
- Heat-resistant up to 105°C.

Accessory Lead



BT-2010

SKU	Product#	Gauge	Length	CTN Size
50803250	BT-2010	12GA	7"	24pcs,48*18*22.5cm

FEATURES

- Copper wire core conductors with optimum performance, better stamping process, higher current and lower resistance.
- Heat-resistant up to 105°C.

Battery Cable With Auxiliary Lead And Bolt



BT-2012

SKU	Product#	Gauge	Length	CTN Size
50803234	BT-2012	4GA	25/35/55"	24pcs,48*18*22.5cm

FEATURES

- 99% pure copper cables to maximize conductivity and quick cold weather starts.
- Terminal ends mechanically crimped to ensure a solid permanent connection.
- Heat-resistant up to 105°C.

Top Post Terminal Battery Cable With Gap



BT-2013



BT-2013X

PVC INSULATED JACKET & TIN-PLATED COPPER

5000 STRONGER AGAIN PERFORMANCE CORROSION RESISTANCE & ELECTROMAGNETIC INTERFERENCE WHICH IMPROVES THE OPERATION RESISTANCE OF COPPER ALL WIRELESS ITS CONDUCTIVITY BETTER



FEATURES

- Copper lugs+lead terminal for superior corrosion and oxidation resistance.
- Better stamping process to improve the current and reduce the resistance.
- Boat cable wire stays ultra flexible even in the most extreme conditions.
- Heat-resistant up to 105°C.

SKU	Product#	Gauge	Length	CTN Size
50803235	BT-2013-2GA15	2GA	15"	24pcs,48*18*22.5cm
50803236	BT-2013X-2GA25	2GA	25"	24pcs,48*18*22.5cm
50803237	BT-2013X-2GA32	2GA	32"	24pcs,48*18*22.5cm
50803238	BT-2013X-2GA38	2GA	38"	24pcs,48*18*22.5cm
50803239	BT-2013X-2GA45	2GA	45"	24pcs,48*18*22.5cm
50803240	BT-2013X-2GA48	2GA	48"	24pcs,48*18*28.5ccm
50803241	BT-2013X-2GA56	2GA	56"	24pcs,48*18*28.5ccm
50803242	BT-2013X-2GA72	2GA	72"	24pcs,48*18*28.5ccm
50803243	BT-2013X-4GA32	4GA	32"	24pcs,48*18*22.5cm

Splice Top Post/Side Dual Cable



BT-2018



BT-2018B

SKU	Product#	Gauge	Length	CTN Size
50803251	BT-2018	4GA	7"	24pcs,48*18*22.5cm
50803252	BT-2018B	4GA	7"	24pcs,48*18*22.5cm

FEATURES

- 99% pure copper cables to maximize conductivity and quick cold weather starts.
- Terminal ends mechanically crimped to ensure a solid permanent connection.
- Heat-resistant up to 105°C.

Battery Cable



BT-2025

SKU	Product#	Gauge	Length	Color	CTN Size
50803244	BT-2025-225-B	2GA	25FT	Black	1pcs,18.5*18.5*17cm
50803245	BT-2025-425-R	4GA	25FT	Red	1pcs,48*18*22.5cm

FEATURES

- Better stamping process to improve the current and reduce the resistance.
- Boat cable wire stays ultra flexible even in the most extreme conditions.
- Heat-resistant up to 105°C.

UTILITY BATT CABLE KIT



BT-2025-8

SKU	Product#	Gauge	Length	CTN Size
50803246	BT-2025-8	8GA	8"	40pcs,43*18.3*15cm

FEATURES

- 99% pure copper cables to maximize conductivity and quick cold weather starts.
- Heat-resistant up to 105°C.
- Suitable for 5/16" lugs.

Terminal cable



BT-2026

SKU	Product#	Gauge	Length	Color	CTN Size
50803247	BT-2026-16B	16GA	25FT	Black	40pcs,43*18.3*15cm
50803248	BT-2026-16R	16GA	25FT	Red	40pcs,43*18.3*15cm

FEATURES

- 99% pure copper cables to maximize conductivity and quick cold weather starts.
- Heat-resistant up to 105°C.



Terminal Brush



BT-3005



BT-3008

SKU	Product#	Material	Gauge	CTN Size
50803301	BT-3005	Iron	"Height:8cm, Dia: 3.8cm/3cm, Wiegth:55g/0.12lbs"	50pcs,35*28*20cm
50803302	BT-3008	Aluminum	"Length: 10.7cm Wiegth:114g/0.25lbs"	80pcs,56*45*42cm

FEATURES

- Protect vehicle's battery by removing corrosion, debris, and dirt to restore electrical contact.
- All-in-one brush cleans cable clamps, extenders, connectors, shims, and more.
- The internal brush scrapes off any buildup on your battery posts with a few quick twists.

Terminal Protector



BT-3009



BT-3010

SKU	Product#	Material	Gauge	CTN Size
50803303	BT-3009	PVC	"Length: 8.7cm Wiegth:40g/0.08lbs"	120pcs,31*26*26.5cm
50803304	BT-3010	Fiber	"Outer Dia: 4.4cm Wiegth:8g/0.01lbs"	200pcs,58*44*42cm

FEATURES

- The terminal protector provides the kind of anti-short , perfectly fitment, economical and practical.
- Widely used in electronics, communication device, home appliances, automobile, motorcycle, etc.
- Protecting Insulating covers for battery terminals and the sleeve prevents entry of dust from the cable end.

Bonding Straps



BT-3011

SKU	Product#	Material	Specification	CTN Size
50803305	BT-3011	Copper	Length:13/19", Fit 2/0GA	100pcs,58*31.7*23cm

FEATURES

- High quality pure copper material, durable, heavy load, corrosion resistance and max electrical conductivity.
- Firm in connection, good in softness, can be bent at will, evenly braided in thin wires.
- Used on all types of vehicles ignition, Suitable for all types of vehicles ignition, home appliances, etc.



Battery Filler



BT-3017

SKU	Product#	Material	Specification	CTN Size
50803306	BT-3017	SBR/PP	Capacity:6 OZ ,3.6-inch Flex Spout Wieght:73g/0.16lbs	40pcs,50*32*39cm

FEATURES

- EASY TO USE: Adjust battery fluid level; simple design for straightforward operation
- CONVENIENT: Lightweight and easy to handle
- CAPACITY: Holds six ounces of fluid
- Adjusts battery fluid level

Anti-Freezing Tester



BT-3018

SKU	Product#	Material	Specification	CTN Size
50803307	BT-3018	PVC	Ball Dia: 6cm, Wieght:78g/0.17lbs	48pcs,51*30*53cm

FEATURES

- Fast and accurate with easy-to-read scale & pointer.
- Calibrated in °C and °F, convenient to test.
- Tests freezing point for winter protection and boiling point for summer protection.
- Rapid-test coolant tester, quickly checks coolant condition.

Mini Battery Hydrometer



BT-3019

SKU	Product#	Material	Specification	CTN Size
50803308	BT-3019	PVC	Length:13/19", Fit 2/0GA	100pcs,58*31.7*23cm

FEATURES

- Secures battery in engine compartment.
- Fits battery base mounts.
- Includes bolt and washer.

Battery Hold Down Kit



BT-3024

SKU	Product#	Material	Specification	CTN Size
50803309	BT-3024	Iron	Length:10", Wight:178g/0.39lbs	25pcs,53*34.5*23.5cm

FEATURES

- Effectively avoid the noise caused by the shaking of the battery due to a long time of driving.
- Soft, comfortable, and corrosion-resistant.
- Designed to hold a battery securely in place. Suitable for car, van, truck and boat.

J-Hold Down Bolt 8-1/4in



BT-3025

SKU	Product#	Material	Specification	CTN Size
50803310	BT-3025	Iron	Length:8"/10", Wieght:87g/0.19lbs	25pcs,53*34.5*23.5cm

FEATURES

- Heavy-duty tempered steel "J" bolts with wing nuts and protective rubber washers to attach battery to tray.
- Rubber Washers.
- Zinc-plated Steel Bolts & Wing Nuts.

Battery Holder Kit



BT-3026

SKU	Product#	Material	Specification	CTN Size
50803311	BT-3026	Iron	Size:182×140.3×34.5mm,Color:BLACK/RED Wieght:184g/0.4lbs	48pcs, 54*37*36cm

FEATURES

- Secure replacement - It replaces a worn, stripped or missing original equipment hold down.
- Maintains battery-Reducing battery vibration to help extend service life.

Ratchet Wrench



BT-3028

SKU	Product#	Material	Specification	CTN Size
50803312	BT-3028	Iron	Length:5/16" Wieght:109g/0.24lbs	24pcs,48*18*22.5cm

FEATURES

- Features a reversible ratchet action for easy removal and installation of side terminal battery bolts.
- Narrow design for use in confined areas.
- Easy to remove and replace them without damaging the battery or the bolt.
- Built to last and withstand the rigors of regular use in a variety of settings.

Battery Tray



BT-3029

SKU	Product#	Material	Specification
50803313	BT-3029	PP	Size:L298xW 205xH 50.3mm Wight:222g/0.49lbs

FEATURES

- Direct Replacement: Easy, tool-free installation, no special tools required for installation. Direct replacement in minutes.
- High Quality:The battery tray is made of high-quality plastic, offering superior durability and impact.

Battery Box



BT-3030



BT-3031

SKU	Product#	Material	Size
50803314	BT-3030	PP	340x250x260mm
50803315	BT-3031	PP	440x250x270mm

FEATURES

- Fits Group 24-31 Batteries, including 12-volt automotive, marine, RV, deep-cycle, and lithium-ion batteries, including cars, boats, campers, travel trailers, trolling motors, pontoons, and more.
- Utilize the pre-drilled internal pilot holes for direct mounting without a battery strap.

Battery Tester



BT-3037

SKU	Product#	Material	Size
50803316	BT-3037	PP	Size:37.6x17.3x9.4in; Weight:900g/2lbs

FEATURES

- Wide Compatibility with 6V and 12V batteries, including motorcycle,ATV,lawn tractor,car, boat,light truck,and RV batteries.
- Top-mounted rocker switch allows for easy use and the highly visible meter face clearly displays the testing results.
- 3 Tests with 1 Device - Battery analysis, charging system test, and starter motor test.

Battery Carrier



BT-3041

SKU	Product#	Material	Size
50803317	BT-3041	Steel	Size:10.51x8.74x3.23 in; Weight:590g/1.3lbs

FEATURES

- Designed to provide easy and safe handling in a range of battery-powered machines such as campers,ATVs,lawnmowers,golf carts,and more.
- Compatible with both top post and side post batteries within a width range of 5 to 7 in.
- High-quality plastic and equipped with rubber pads ensures a secure grip, preventing accidents caused by slipping.
- Prioritizes safety during battery pickup,giving you peace of mind while working with batteries.

Gold Battery Terminal



BT-3043-P



BT-3043-N

SKU	Product#	Material	Gauge	CTN Size
50803318	BT-3043-P	Copper	"Size:7.48x4.72x2in Wieght:380g/0.84lbs, Positive pole"	100pcs,58*31.7*23cm
50803319	BT-3043-N	Copper	"Size: 7.48x4.72x2in Wieght:380g/0.84lbs, Negative pole"	100pcs,58*31.7*23cm

FEATURES

- Compatible with both POS and NEG battery terminal.
- Battery terminal clamp with good conductivity ensures high performance.
- Gold screws terminals hold cables securely in place.

Battery Disconnect Switch



BT-3044



BT-3045

SKU	Product#	Material	Gauge	CTN Size
50803320	BT-3044	Copper	"Size:2.44x1.77x3.62in Wieght:140g/0.3lbs, Top post"	100pcs,58*31.7*23cm
50803321	BT-3045	Copper	"Size:4.1x3x2.06in Wieght:185g/0.4lbs, Side post "	100pcs,58*31.7*23cm

FEATURES

- Made of brass and zinc alloy with great electrical conductivity and corrosion resistance.
- Easily adjusted to fit 15-17mm top post terminal(Negative only).
- Pass the rated current of 250A, and the max current of 750A.

Safety Switch Disconnect



BT-3047

SKU	Product#	Material	Specification
50803322	BT-3047	Copper	Size: 4x3x3in Wieght:420g/0.92lbs

FEATURES

- Wide Compatibility with 12V and 24V batteries, including motorcycle,ATV,lawn tractor,car, boat,light truck,and RV batteries.
- Made of brass and zinc alloy with great electrical conductivity and corrosion resistance.
- Built to handle the heavy-duty demands of lift operations, it sustains durability and reliable long-term performance.

PACKING SERIES



C02
PE Bag



C14
Sleeve



C15
Zipper Bag



C16
PE Bag



C19
Nylon Carry Bag



C28
EVA Bag



C30
Zipper Bag



C35
Zipper Bag



C36
Mesh Bag with Paper Card



C38
Zipper Bag



C63
Non-woven Bag



C49
Color Box



C49-S
Color Box with Handle



C49-W
Color Window Box



C25
Plastic Box with Sticker



C31
Plastic Box with Sticker



C51
Plastic Box with Sticker



C52
Plastic Box with Sticker



C53
Plastic Box with Sticker

