

2025-2026 SAFEMATE PORTABLE JUMP STARTER AND AIR PUMP




ZHEJIANG SAFEMATE AUTOMOTIVE SAFETY & EMERGENCY
TECHNOLOGY CO., LTD
Add: No. 78, Ma'an Road, Qiantan Town, Jiande, Zhejiang, China
Tel: 0086-571-64173500
Fax: 0086-571-64173191
E-mail: safemate@qiantong.com



www.safemate-china.com

① ZHEJIANG SAFEMATE AUTOMOTIVE SAFETY & EMERGENCY TECHNOLOGY CO., LTD
② Add: No. 78, Ma'an Road, Qiantan Town, Jiande, Zhejiang, China

MILESTONE



ABOUT US

Zhejiang Safemate Automotive Safety & Emergency Technology Co.,Ltd, shortened to "Safemate Technology". The company was established on July 1, 1999. The company has been focused on R&D, sales of automobile travel safety product, first aid product, repairing and maintenance product, and EV products. It is the world's largest provider of driving safety and self-rescue solutions for self-driving people. The company has two major manufacturing bases in Jiande, Hangzhou and Semarang, Indonesia, with a total of more than 400 employees.

company continues to promote product manufacturing in the direction of automation and digitalization development; through production line upgrades and the introduction of lean production, the introduction of MES CRM, ERP and other systems continues to promote the construction of digital factories, greatly improving management efficiency and per capita contribution rate.


As a "national high-tech" enterprise integrating R&D, intelligent manufacturing and sales, the company's mission is to make self-driving people safer and more convenient. With the vision of becoming a solution provider for 200 million self-driving people in the world, all employees are called on to users are at the core, have a sense of the overall situation, insist on doing the right things, carry forward the sense of ownership, go deep into the scene, deliver results as values, and practice a win-win corporate culture for the company and users; under the guidance of the business philosophy - focusing on intelligent product manufacturing, focusing on user needs, focusing on affordable prices, we will give full play to the value of Safemate and contribute Safemate wisdom and technology to self-driving people around the world.

In the course of more than 20 years of development as a manufacturing enterprise, the company has continuously expanded its product categories and developed over 500 models of products. The rich product layout meets customers' one-stop purchasing needs and improves customer satisfaction. The products sell well in North American and European markets; at the same time, the company insists on product quality first, with GS, PAHS, CE, EMC, ROHS, BS, SAE, UL, ETL, FCC and other product quality certifications from major developed countries around the world. It has passed the world's most stringent quality, human rights, and environmental assessment factory audits such as BSCI, SEDEX, COSTCO, Walmart, ISO9000, and ISO14000, and has obtained the supply qualifications of major customers in various industries; the

PROFESSIONAL TIRE INFLATOR



- Efficient Air Pump: Inflates a tire to 36 PSI within 6 minutes
- Smart auto-shut-off function for easy-to-use operation



Model	Capacity	Type-C input	USB output	Rated voltage	Pressure
SANDY-1500	16.7Wh	5V==3A	5V == 2.4A	11.1V	3-150PSI 0.2-10.3Bar
SANDY-1800	20Wh				
SANDY-2000	22.2Wh				
SANDY-2600	28.8Wh				

JUMP STARTER WITH AIR COMPRESSOR



- Multi-function: Tire inflator, powerbank, battery tester and flashlight
- Integrated 4 battery cells for 35% stronger cranking power
- Built-in 7 safety protections
- PD40W Type-C Input/Output Quick Charge



Model	Capacity	Type-C input +output	USB output	Rated voltage	Pressure	Peak current	Suitable for	Color
PJS03-2000	29.6Wh	5V==3A 9V==2A	5V==3A	12V	120PSI	800A	5.0L Max	●Black ●Red
PJS03-2500	37Wh	12V==2A 15V==2A	9V==2A 12V==2A			1000A	6.0L Max	
PJS03-3000	44.4Wh	20V==2A				1500A	8.0L Max	

PROFESSIONAL JUMP STARTER



- Integrated 4 battery cells for 35% stronger cranking power
- Built-in 7 safety protections
- PD40W Type-C Input/Output Quick Charge
- Rubberized housing for splash, dust & drop resistance




Model	Capacity	Type-C input +output	USB 1 /USB 2 output	Rated voltage	Peak current	Suitable for	Color
PJS07-2000	29.6Wh	5V==3A 9V==2A	5V==3A	12V	800A	5.0L Max	●Black ●Red
PJS07-2500	37Wh	12V==2A 15V==2A	9V==2A 12V==2A		1000A	6.0L Max	
PJS07-3000	44.4Wh	20V==2A			1500A	8.0L Max	

PROFESSIONAL JUMP STARTER



- Integrated 4 battery cells for 35% stronger cranking power
- Built-in 7 safety protections
- PD40W Type-C Input/Output Quick Charge
- Rubberized housing for splash, dust & drop resistance



Model	Capacity	Type-C input +output	USB 1 /USB 2 output	Rated voltage	Peak current	Suitable for	Color
PJS06-2000	29.6Wh	5V==3A 9V==2A	5V==3A	12V	800A	5.0L Max	●Black ●Red
PJS06-2500	37Wh	12V==2A 15V==2A	9V==2A 12V==2A		1000A	6.0L Max	
PJS06-3000	44.4Wh	20V==2A			1500A	8.0L Max	

HEAVY DUTY JUMP STARTER



CE FC

- Integrated 4 battery cells for 35% stronger cranking power
- Built-in 7 safety protections
- PD40W Type-C Input/Output Quick Charge
- Rubberized housing for splash, dust & drop resistance




Model	Capacity	Type-C input +output	USB 1/USB 2 output	Rated voltage	Peak current	Suitable for	Color
PJS06-1-4000	59.2Wh	5V==3A 9V==2A 12V==2A	5V==3A 9V==2A 12V==2A	12V	2000A	10.0L Max	● Black ● Red
PJS06-1-5000	74Wh	15V==2A 20V==2A			3000A	12.0L Max	

05

PROFESSIONAL JUMP STARTER

CE FC ETL

- Integrated 4 battery cells for 35% stronger cranking power
- Built-in 7 safety protection
- Long-term standby with 50μA static power consumption
- Intuitive LCD screen for easy operation of all functions
- PD18W Quick Charge



Model	Capacity	Type-C input	USB output	Rated voltage	Peak current	Suitable for	Color
PJS08A-1500	22.2Wh	5V==2A	5V==3A 9V==2A 12V==1.5A	12V	600A	4.0L Max	■ Black ■ Gray
PJS08A-2000	29.6Wh				800A	5.0L Max	
PJS08A-2500	37Wh				1000A	6.0L Max	
PJS08A-3000	44.4Wh				1500A	8.0L Max	

06

UPGRADED JUMP STARTER

CE FC ETL

- Integrated 4 battery cells for 35% stronger cranking power
- Built-in 7 safety protections
- PD40W Type-C Input/Output Quick Charge
- Long-term standby: 50μA static power consumption




Model	Capacity	Type-C input +output	USB output	Rated voltage	Peak current	Suitable for	Color
PJS08-1500	22.2Wh	5V==3A	5V==3A 9V==2A 12V==2A	12V	600A	4.0L Max	■ Black ■ Gray
PJS08-2000	29.6Wh	9V==2A			800A	5.0L Max	
PJS08-2500	37Wh	12V==2A			1000A	6.0L Max	
PJS08-3000	44.4Wh	15V==2A 20V==2A			1500A	8.0L Max	

07

HEAVY DUTY JUMP STARTER

CE FC ETL

- Heavy-duty jump-starter with high-performance cranking function
- Integrated 4 battery cells for 35% stronger cranking power
- Built-in 7 safety protections
- PD40W Type-C Input/Output Quick Charge
- Long-term standby: 50μA static power consumption



Model	Capacity	Type-C input +output	USB output	Rated voltage	Peak current	Suitable for	Color
PJS08PRO-4000	59.2Wh	5V==3A 9V==2A 12V==2A	5V==3A 9V==2A 12V==2A	12V	2000A	10.0L Max	■ Black ■ Gray
PJS08PRO-5000	74Wh	15V==2A 20V==2A			3000A	12.0L Max	

08

3-IN-1 JUMP STARTER WITH AIR COMPRESSOR

GS FC ETL

- Multi-function: Tire inflator, powerbank, battery tester, tire gauge and flashlight
- Integrated 4 battery cells for 35% stronger cranking power
- Built-in 7 safety protections
- Power bank with USB quick-charging output ports
- Long-term standby 50μA static power consumption



Model	Capacity	Type-C input	USB output	Rated voltage	Pressure	Peak current	Suitable for	Color
PJS09-2000	29.6Wh	5V==2A	5V==3A 9V==2A 12V==1.5A	12V	150PSI	800A	5.0L Max	■ Black ■ Gray
PJS09-2500	37Wh					1000A	6.0L Max	
PJS09-3000	44.4Wh					1500A	8.0L Max	

09

PROFESSIONAL JUMP STARTER



- Integrated 4 battery cells for 35% stronger cranking power
- Built-in 7 safety protections
- Long-term standby: 50μA static power consumption
- Textured surface for improved grip
- Rugged design with LED flashlight & digital display



Model	Capacity	Type-C input	USB output	Rated voltage	Peak current	Suitable for	Color
PJS10A-1500	22.2Wh	5V==2A	5V==3A 9V==2A 12V==1.5A	12V	600A	4.0L Max	Black
PJS10A-2000	29.6Wh				800A	5.0L Max	
PJS10A-2500	37Wh				1000A	6.0L Max	Orange
PJS10A-3000	44.4Wh				1500A	8.0L Max	

UPGRADED JUMP STARTER



- Integrated 4 battery cells for 35% stronger cranking power
- Built-in 7 safety protections
- Long-term standby: 50μA static power consumption
- Textured surface for improved grip
- Rugged design with LED flashlight & digital display



Model	Capacity	Type-C input +output	USB output	Rated voltage	Peak current	Suitable for	Color
PJS10-1500	22.2Wh	5V==3A	5V==3A 9V==2A 12V==2A	12V	600A	4.0L Max	Black
PJS10-2000	29.6Wh	9V==2A			800A	5.0L Max	
PJS10-2500	37Wh	12V==2A			1000A	6.0L Max	Orange
PJS10-3000	44.4Wh	15V==2A 20V==2A			1500A	8.0L Max	

HEAVY DUTY JUMP STARTER



- Heavy-duty jump-starter with high-performance cranking function
- Integrated 4 battery cells for 35% stronger cranking power
- Built-in 7 safety protections
- PD40W Type-C Input/Output Quick Charge
- Long-term standby: 50μA static power consumption



Model	Capacity	Type-C input +output	USB output	Rated voltage	Peak current	Suitable for	Color
PJS10PRO-4000	59.2Wh	5V==3A 9V==2A 12V==2A	5V==3A 9V==2A 12V==2A	12V	2000A	10.0L Max	Black
PJS10PRO-5000	74Wh	15V==2A 20V==2A			3000A	12.0L Max	

3-IN-1 JUMP STARTER WITH AIR COMPRESSOR



- Multi-function: Tire inflator, power bank, battery tester, tire gauge and flashlight
- Integrated 4 battery cells for 35% stronger cranking power
- Built-in 7 safety protections
- Power bank with USB quick-charging output ports
- Long-term standby: 50μA static power consumption



Model	Capacity	Type-C input	USB output	Rated voltage	Pressure	Peak current	Suitable for	Color
PJS11-2000	29.6Wh	5V==2A	5V==3A 9V==2A 12V==1.5A	12V	150PSI	800A	5.0L Max	Black
PJS11-2500	37Wh					1000A	6.0L Max	
PJS11-3000	44.4Wh					1500A	8.0L Max	Orange

Pack Desc.	Package Photo	Item Series	Box Dimensions (cm)	SETS/CTN	NW/KGS	GW/KGS
C59 color box + storage bag		PJS03	61*39*29cm	6	12.5KG	13KG
		PJS06	27*26*23cm	6	6KG	6.5KG
		PJS06-1	31*25.5*25.5cm	6	8KG	8.5KG
		PJS07	30*25.5*25cm	6	5.2KG	5.7KG
		PJS08	29*24.5*21.5cm	6	4KG	4.5KG
		PJS08A	29*24.5*21.5cm	6	5.2KG	5.7KG
		PJS08PRO	29*25.5*25cm	6	6.5KG	7KG
		PJS09	33.5*28.5*23cm	6	8.1KG	8.6KG
		PJS03	55.5*21.5*34cm	6	13KG	13.5KG
		PJS06	26*22.5*27cm	6	6.6KG	7KG
C58 Color box + EVA storage bag		PJS06-1	57*27*16cm	6	9KG	9.5KG
		PJS07	27*26.5*23.5 cm	6	6.1KG	6.7KG
		PJS08	27*26.5*23.5 cm	6	5.5KG	6KG
		PJS08A	27*26.5*23.5 cm	6	6KG	6.5KG
		PJS08PRO	50*13*26.5cm	5	5.6KG	6.1KG
		PJS09	30.5*27*29cm	6	11KG	11.5KG
		PJS10	26*22.5*27cm	6	6KG	6.5KG
		PJS10PRO	26*22.5*27cm	6	7KG	7.5KG
		PJS10A	26*22.5*27cm	6	6KG	6.5KG
		PJS11	26*22.5*27cm	6	11KG	11.5KG
C60 Color box + Blister + EVA bag		PJS08	Blister:30*5*31cm Base:32.5*19.5*32cm Lid:34*20.5*16.5cm Carton:32*34*35cm	4	4.24KG	5.26KG
C54 color window box + storage bag		PJS10	24*27*24cm	6	4KG	4.5KG
		PJS10PRO	29*25.5*25cm	6	6.5KG	7KG
		PJS10A	24*27*24cm	6	5.2KG	5.7KG
		PJS11	36*30*25cm	6	8.1KG	8.6KG
C59 color box + storage bag		Sandy 1500/1800	44.5*29.5*20.2cm	12	12KG	12.5KG
C58 EVA storage bag + Color box		Sandy 2000/2600	31.5*30*30.5cm	10	10.4KG	10.9KG
			44.5*29.5*20.2cm	12	12.5KG	13KG

OUR COMPANY

